Tracking Cold Related Illness in Massachusetts

Photo: "Boston Winter Days" by bettlebrox

Melanie Jetter, MS
Environmental Analyst
Massachusetts Department of Public Health
NAHDO 35th Annual Conference
August 26, 2020

Prolonged exposure to cold temperatures or winter weather conditions such as wind, snow, ice, and cold water can be dangerous and detrimental to health.

- Cold-related illnesses (CRI) include a number of health conditions including hypothermia, frostbite, chilblains, and trench foot.
- Those most at risk of CRI include older adults, children, people who are outside for long periods (e.g., homeless), and people living with chronic medical conditions.
- Tracking CRI data can help document changes over place and time, monitor at-risk areas and populations, and support evaluation of local cold illness prevention strategies.


Overview

- 1. CRI Emergency Department Visits in Massachusetts
- 2. CRI Emergency Department Visits Among People Experiencing Homelessness in Massachusetts
- 3. Key Takeaways & Next Steps


Analysis:

- Number of CRI ED Visits during 2011-2018
 - "Cold Season" = October April
- Average Seasonal Temperatures
- Demographics (Age and Sex Distributions)
- Statewide and County Age-adjusted Rates

Number of CRI ED Visits and Mean Seasonal Temperature




Number of Monthly CRI ED Visits and Monthly Temperature




Monthly Temperature

Percent of CRI ED Visits by Sex





CRI ED Visits Age Distribution, 2011-2018




CRI ED Visits Age Distribution, 2011-2018








Massachusetts CRI ED Visits Age-adjusted Rates and Seasonal Temperatures 2011-2018




Massachusetts CRI ED Visits Age-Adjusted Rates by County 2011-2018



Individuals who experience homelessness often spend prolonged periods of time outside, which makes them particularly susceptible to the adverse effects of extreme cold weather conditions.

Number of People Experiencing Homelessness in Massachusetts 2011-2018




CRI ED Visits Among People Experiencing Homelessness in Massachusetts




Season

CRI ED Visits Among People Experiencing Homelessness in Massachusetts Counties, 2011-2018




County

The **Boston Continuum of Care** Program



Percent of MA Homeless Population in Boston CoC



15

Data Source: HUD Exchange counts by CoC report 2007-2019

Key Takeaways

Key Takeaways:

- Peaks in the number of CRI ED Visits in MA often coincided with lower average seasonal temperatures.
- The age distribution of patients treated with CRI is generally older, but differences were seen between males and females.
- Age-adjusted rates in Suffolk County, MA are statistically significantly higher across all seasons.
- The proportion of ED visits among people experiencing homelessness varies across the state with Suffolk County contributing the largest proportion.

Next Steps

Next Steps:

- Make this dataset available for public use on the Massachusetts Environmental Public Health Tracking Data Portal.
- Conduct additional analyses:
 - Sub-county geographies
 - Sub-populations
 - CRI and Homelessness

Thank You

Contact Information:

Melanie Jetter

Melanie.Jetter@Mass.Gov

Bureau of Environmental Health Environmental Epidemiology Program

Massachusetts Department of Public Health